

Vaccine	Brand Name	Manufacturer	Thimerosal Concentration <sup>1</sup>	Mercury mcg/0.5 mL	
Anthrax	BioThrax	BioPort Corporation	0	0	
DTaP	Tripedia	sanofi pasteur	*	*	
	Infanrix	GlaxoSmithKline	0	0	
	DAPTACEL	sanofi pasteur	0	0	
DTaP-HepB-IPV	Pediarix	GlaxoSmithKline	*	*	
DTaP-Hib	TriHIBit	sanofi pasteur	*	*	
DTwP	All Products		.01%	25	
DT	Diphtheria & Tetanus Toxoids Adsorbed USP	multi-dose single dose	sanofi pasteur	.01% *	25 *
Td	DECAVAC	sanofi pasteur	*	*	
	Tetanus and Diphtheria Toxoids Adsorbed	sanofi pasteur	*	*	
Tdap	ADACEL	sanofi pasteur	0	0	
	Boostrix	GlaxoSmithKline	0	0	
Tetanus Toxoid	Tetanus Toxoid Adsorbed USP			.01%	25
	Tetanus Toxoid Adsorbed Adult Use	sanofi pasteur		.01%	25
	Booster			.01%	25
Hib	ActHIB	sanofi pasteur	0	0	
	HibTITER	Wyeth-Ayerst	0	0	
	PedvaxHIB liquid(2)	Merck	0	0	
Hib/HepB	Comvax (3)	Merck	0	0	
Hepatitis A	Havrix	GlaxoSmithKline	0	0	
	Vaqta adult/pediatric	Merck	0	0	
Hepatitis B	Engerix-B preservative free	GlaxoSmithKline	*	*	
	Recombivax HB preservative free	Merck	0	0	
Hep A-B	Twinrix	GlaxoSmithKline	*	*	
HPV	Gardasil	Merck	0	0	
Influenza 2006/7 Formula	Afluria	multi-dose single dose	CSL Limited	.01% 0	24.5 0
	Fluarix		GlaxoSmithKline	*	*
	FluLaval		GlaxoSmithKline	.01%	25
	FluMist		MedImmune	0	0
	Fluvirin		Novartis	.01%	24.5
	Fluzone	5 mL vial		.01%	25
	Fluzone No Preservative	0.25 mL prefilled syringe 0.5 mL prefilled syringe 0.5 mL vial	sanofi pasteur	0 0 0	0 0 0
IPV	IPOL	sanofi pasteur	0	0	
Meningococcal	Menactra	sanofi pasteur	0	0	
	MENOMUNE-A/C/Y/W-135	multi-dose single dose	sanofi pasteur	.01% *	25 *
MMR	M-M-R II	Merck	0	0	
MMR-Varicella	ProQuad	Merck	0	0	
Polio	IPOL	sanofi pasteur	0	0	
Pneumococcal	Prevnar	Wyeth-Ayerst	0	0	
	Pneumovax 23	Merck	0	0	
Rabies		Chiron	0	0	
	IMOVA	sanofi pasteur	0	0	
Rotavirus	RotaTeq	Merck	0	0	
Typhoid Fever	Typhim Vi	sanofi pasteur	0	0	
	Vivotif	Berna Biotech	0	0	
Varicella Zoster	Varivax	Merck	0	0	
	Zostavax	Merck	0	0	
Yellow Fever	YF-VAX	sanofi pasteur	0	0	

1. A concentration of 1:10,000 is equivalent to a 0.01% concentration. Thimerosal is approximately 50% Hg by weight. A 1:10,000 concentration contains 25 mcg of Hg per 0.5 mL.

2. A previously marketed lyophilized preparation contained 0.005% thimerosal.

3. COMVAX is not approved for use under 6 weeks of age because of decreased

response to the Hib component.

\* This product should be considered equivalent to thimerosal-free products. This vaccine may contain trace amounts (<0.3 mcg) of mercury left after post-production thimerosal removal; these amounts have no biological effect. JAMA 1999; 282(18) and JAMA 2000; 283(16).